




Nut Storage





Catwalks can be designed to support conveyors of various widths. Walkways can be supplied with structural bar grating or cold formed slip resistant decking.



Protect your high value harvest/investment with SCAFCO storage solutions.



Walk-in-doors have welded frames, reinforced outer door panel and three hinged inner flaps with positive locking bars. A heavy-duty version is also available on stiffened bins/silos.




Full perforated plank floors allow for drying or conditioning and to distribute air evenly up through the stored product.

Benefits of a good storage system include:

- Prevention of moisture reentering the product after drying
- Protection from the elements, insects, rodents and birds
- Ease of filling & discharge
- Efficient use of space
- Ease of maintenance and management



Let-down ladder evenly distributes stored product throughout the bin/silos.



Let-down ladders reduce stress on nuts and help prevent waste from product breakage.



Elevator support tower designed complete with integral spiral stairway and platforms.



Centrifugal fans provide adequate airflow capacity to minimize or prevent product deterioration and spoilage.

Features for a structurally efficient bin/silo:

- Optional design for seismic and high wind conditions
- Only high quality mill certified USA manufactured steel
- 57 KSI yield strength (393 MPa)
- G-115 galvanized coating (minimum 350 grams/m² zinc)
- SAE grade 8.2 heat treated bolts with JS1000 corrosion resistant coating over zinc plating



5400 E Broadway Avenue | P.O. Box 11215
Spokane, WA 99211-1215 USA
Phone: +1-509-535-1571 | Fax: +1-509-535-9130 | Mail@SCAFCO.com
www.SCAFCO.com/grain